In

| Notice of Allowability   | Application No.   | Applicant(s)       |
|--|---|--------------------|
|  | 10/006,155  | MANSOUR, RAAFAT R. |
|  | Examiner  | Art Unit           |
|  | Kimberly E Glenn  | 2817               |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. |   |                    |
| 1. This communication is responsive to <u>9/7/04</u> .   |   |                    |
| 2. The allowed claim(s) is/are <u>1,2,4-22,24-37 and 39</u> .  |   |                    |
| 3. The drawings filed on 10 December 2001 are accepted by the Examiner.  |   |                    |
| 4.   |   |                    |
| Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material   | 6. Interview Summary Paper No./Mail Dat 08), 7. Examiner's Amenda | e                  |

Application/Control Number: 10/006,155

Art Unit: 2817

## REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The prior art of record does not disclose or fairly teach a device comprising at least one cavity with said at least one cavity having a cut resonator therein, said cavity having at least one wall and said resonator being out of contact with said at least one wall, said resonator being a conductor-loaded resonator and being non-cylindrical, said resonator being mounted on a dielectric support.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly E Glenn whose telephone number is (571)-272-1761. The examiner can normally be reached on Monday-Friday 7:30 to 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571)-272-1769. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

**Art Unit: 2817** 

have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kimberly E Glenn Examiner Art Unit 2817

keg

Robert Pascal

Supervisory Patent Examiner
Technology Center 2800